



# Form for the design of special ground structures



# SUNFER



FFP.01.07. Rev. 3

\*Mandatory documentation

Automatic fields 

\*Client

\*Date

## Project data

\*Location



Remarks:

\*Graphic documentation to be provided:

Indispensable – Plan of implementation of modules


DWG

PDF

Pictures




\*TOTAL number of modules:



Module size


mm mm mm  
Length Width Thickness

\*Tilt




15°  
30°


Concrete foundation



Piling



Micro-pile



\*Design conditions

According to catalogue

According to regulations

Others

(Specify others)

Wind speed



Km/h

Snow load



Kg/m<sup>2</sup>

## Installation area



Urban area



Industrial area



Rural area






Coastal area





### Composition:

	1x1	1x11		2x1	2x11		3x1	3x11
	1x2	1x12		2x2	2x12		3x2	3x12
	1x3	1x13		2x3	2x13		3x3	3x13
	1x4	1x14		2x4	2x14		3x4	3x14
	1x5	1x15		2x5	2x15		3x5	3x15
	1x6	1x16		2x6	2x16		3x6	3x16
	1x7	1x17		2x7	2x17		3x7	3x17
	1x8	1x18		2x8	2x18		3x8	3x18
	1x9	1x19		2x9	2x19		3x9	3x19
	1x10	1x20		2x10	2x20		3x10	3x20

### General Information

- If the required conditions are not specified, the study will be carried out with the calculations and design conditions of the standard products, for other design conditions the customer shall provide all necessary information required by Sunfer.
- Ground installation requirements:
  - The dimensions of the foundings have been obtained for an arbitrary value of soils indicated in the technical documentation.
  - The necessary tests must be carried out to obtain the strength characteristics of the soil. These must be obtained by or under the responsibility of the client.
  - The foundation, depending on the availability and variability of the ground, is subject to change under the supervision of a competent technician.
  - All assembly instructions and product specifications provided by Sunfer must be observed.
  - Dismantling of the supports is to be carried out in reverse order to assembly.



Delete fields



Submit Form

